



Authorized Distributor  
Calx Trading Corporation  
1245 Amaranth Dr.  
Naperville, IL 60564  
Tel: 630-677-7241  
Cell: 630-456-6721  
www.calxtrading.com

## AT-10™ Air Tool Oil Product Data Sheet

### General Information

- Recommended for piston and rotary type air tools
- Lubricates, cleans & protects
- Lubrication technology based on tribologic methods that improve lubricity & load-carrying capacity
- Contains Muscle MT-10™ Metal Treatment technology for increased lubricity & boundary film lubrication

### Typical Applications

- Impact & ratchet wrenches
- Nailers & staplers
- Hammers
- Sanders, grinders & polishers
- Shears
- Drill & screw drivers
- Chisels
- Saws
- Paving breakers
- Riveters
- Tampers
- Rock drills
- And any other piston or rotary type air tool

### Key Features & Benefits

- Lubricates, cleans & protects
- Stops & inhibits rust
- Repels air line moisture & water spray
- Removes gummy deposits
- Improves tool performance
- Extends tool life
- Reduces maintenance & replacement costs

### Availability

- 4-oz. & 16-oz. bottles (118 & 474 ml)
- 1 & 5 U.S. gallon containers (3.8 & 18.9 L)
- 55 U.S. gallon drum (208 L)

### Directions for Use

Shake product lightly. Use in accordance with air tool manufacturer's instructions. Tools may need lubricated daily, or several times a day, depending on the frequency of tool use.

**NOTE:** All petroleum oils have a tendency to cause *natural rubber* o-rings to swell. Before using AT-10™, please check with your equipment manufacturer to make sure your air tools utilize *quality non-rubber (i.e. neoprene) o-rings*.

### Typical Properties

Boiling Point .....	> 450°F (168°C)
Autoignition Temperature .....	469°F (232°C)
Flash Point .....	282°F (139°C) D93
Specific Gravity @ 60°F, g/cm <sup>3</sup> .....	0.945
API Gravity @ 60°F .....	18.2
Density .....	7.888 lbs per US gal
Vapor Pressure .....	< 0.810 PSI
Viscosity @ 40°C, cSt .....	25.05
Viscosity @ 100°C, cSt .....	3.90
Pour Point .....	< - 50°F (- 45.6°C)
Cloud Point .....	14.7°F (- 9.8°C)
Odor .....	Mild petroleum, hint of cinnamon
Color & Appearance .....	Red low viscosity liquid
Solubility in Water .....	Insoluble

Copyright 1986-2012 Muscle Products Corp.  
Rev. 9/2012

